

Villa Outdoor Station



Features

- Being equipped with advanced built-in system and software, suit for villa
- Camera: 1.3 MP CMOS camera
- Night vision: the particular white light in the camera able to make the clear picture at night
- One button with background light ,easy to operate
- Call indoor monitor and management centre
- Support IC card opening
- Support unlock remotely
- Support visitor leaving audio and video message
- Support group call function


Specifications

Mode		DH-VTO6100C
System	Main Processor	Embedded micro processor
	Operation System	Embedded LINUX OS
Video	Video Compression Standard	H.264

DH-VTO6100C

	Input/Approaching Induction	1.3MP CMOS HD camera
	Black Light	Support
Audio	Audio Input	Omnidirection Microphone
	Audio Output	Built-in loudspeaker
	Bidirectional Talk	Support bidirectional talk
Operation Mode	Input	One-key input (with blacking)
	Card	Built-in IC card induction reader
Alarm and Access Control	Vandal proof	Support
Network	Ethernet	10M/100Mbps Self-adaptive
	Network Protocol	TCP/IP
Storage	Memory	128MB
General	Power	DC 10~15V
	Power Consumption	Standby ≤1W, work ≤10W
	Working Environments	-10℃ — +60℃, 10~95% RH
	Dimensions	141.0mm*100.0mm*16.8mm (L*W*T) ;
	Weight	0.5Kg

Dimensions



DH-VTO6100C

Dahua Technology Co., Ltd.

1187BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.